



Material Safety Data Sheet

1. Product and company identification

Product code	: PD-715
Product name	: R/S YELLOW
Material uses	: Printing. Colorant.
Manufacturer/ Distributor	: Sun Chemical Corporation 631 Central Avenue Carlstadt, NJ 07072
In case of emergency	: (800) 424-9300 (U.S.) (703) 527-3887 (International)
Regulatory information	: Canada: (905) 796-2222 US: (201) 933-4500
Other information	: (513) 830-8500
Date of revision	: 7/18/2011.

2. Hazards identification

Physical state	: Liquid.
Color	: Clear.
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	: Warning!
	Harmful by inhalation. May be harmful if absorbed through skin. Severely irritating to eyes. Irritating to respiratory system and skin. May cause sensitization by skin contact. Do not breathe vapor or mist. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.
Routes of entry	Dermal contact. Inhalation.
Potential acute health effe	<u>cts</u>
Eyes	: Severely irritating to eyes.
Skin	: Harmful in contact with skin. Irritating to skin. May cause sensitization by skin contact.
Inhalation	 Toxic by inhalation. Irritating to respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	: No known significant effects or critical hazards.
	fects(Long term exposure)
Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenicity / Reproductive toxicity	: No known significant effects or critical hazards.
Target organs	: Contains material which may cause damage to the following organs: kidneys, liver.
Medical conditions aggravated by over- exposure	: Pre-existing skin disorders and disorders involving any other target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.
See toxicological informat	ion (Section 11)

2. Hazards identification

3. Composition/information on ingredients

Hazardous ingredients	CAS number %				
Isobornyl Acrylate	5888-33-5	10 - 25			
N-Vinylpyrrolidone	88-12-0	10 - 25			
2-Phenoxy-ethyl acrylate	48145-04-6	10 - 25			
Aliphatic Urethane Acrylate	CN966	5 - 10			
Proprietary initiator	Proprietary	2.5 - 5			

4. First aid measures

 Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. In case of accidental eye contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of the eyes.
 In case of contact, immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops. In case of accidental skin contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of skin.
: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

5. Fire-fighting measures

Flammability of the product	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Products of combustion	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides halogenated compounds
Extinguishing media		
Suitable	:	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	:	None known.
Special exposure hazards	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Flammability (OSHA criteria)	:	IIIB
Flash point	:	Lowest known value: >93.3°C (200°F) (Closed cup)

6. Accidental release measures

Personal precautions	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Llendling	· Dut on exprendicts personal protective equipment (see Section 9). Eating drinking and
Handling	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used, without Personal Protective Equipment measures. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Keep away from direct sunlight or strong incandescent light.

8. Exposure controls/personal protection

Product name	Exposure limits					
N-Vinylpyrrolidone	ACGIH TLV (United States, 2/2010). TWA: 0.05 ppm 8 hour(s).					
Consult local authorities for	acceptable exposure limits.					
Engineering measures	 Use only with adequate ventilation. Use process enclosures, local exhaust ventilation o other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. 					
Personal protection						
Eyes	 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. 					
Skin	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.					
Respiratory	: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.					

8. Exposure controls/personal protection

Hands	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

=	
Physical state	: Liquid.
Color	: Clear.
Boiling/condensation point	: Lowest known value: 217°C (423°F)
Flash point	: Lowest known value: >93.3°C (200°F) (Closed cup)
VOC	: 0.21%
Density	: 1.039 g/cm ³ (8.669 lbs/gal)
Vapor density	: Highest known value: 3.8 (Air = 1) (N-Vinylpyrrolidone).
Evaporation rate	: <1 (N-Vinylpyrrolidone) compared with butyl acetate

10. Stability and reactivity

Stability and reactivity	: The product is stable.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization Reactivity - Light	 Under normal conditions of storage and use, hazardous polymerization will not occur. May polymerize on exposure to light.

11. Toxicological information

Acute toxicity							
Product/ingredient name		Result		Species	Dose		Exposure
Isobornyl Acrylate		LD50 Der LD50 Ora		Rabbit Rat	>5 g/kg	/ka	-
2-propenoic acid, 2-phenoxy	ethvl ester	LD50 Der		Rabbit	4890 mg/ 2540 uL/	-	-
		LD50	ind.	Rat	900 mg/k	•	-
		Intraperito	oneal		Ū.	•	
		LD50 Ora		Rat	4660 uL/	kg	-
Conclusion/Summary	: No knowr	n significant e	effects or	critical hazards.			
Chronic toxicity							
Conclusion/Summary	: No knowr	n significant e	effects or	critical hazards.			
Carcinogenicity							
Conclusion/Summary	: No knowr	n significant e	effects or	critical hazards.			
Classification							
Product/ingredient name		ACGIH	IARC	EPA	NIOSH	NTP	OSHA
N-Vinylpyrrolidone		A3	3	-	-	-	-
<u>Mutagenicity</u>							
Conclusion/Summary	: No known significant effects or critical hazards.						
<u>Teratogenicity</u>							
Conclusion/Summary	: No knowr	n significant e	effects or	critical hazards.			
Reproductive toxicity							
Conclusion/Summary	: No knowr	n significant e	effects or	critical hazards.			

A outo tovioitu

12. Ecological information

Environmental effects	: No known significant effects or critical hazards.
Aquatic ecotoxicity	
Conclusion/Summary	: Not available.
Biodegradability	
Conclusion/Summary	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal
 The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Refer to protective measures listed in sections 7 and 8. Empty containers or liners may retain some product residues.

14. Transport information

Not regulated.

15. Regulatory information

HCS Classification	: Toxic material Irritating material Sensitizing material Target organ effects
TSCA 8(b) inventory	: Listed
U.S. Federal regulations	: TSCA 4(a) final test rules: 4-Methoxyphenol
	TSCA 4(a) ITC priority list: No products were found.
	TSCA 4(a) proposed test rules: No products were found.
	TSCA 5(a)2 final significant new use rules: No products were found.
	TSCA 5(a)2 proposed significant new use rules: No products were found.
	TSCA 5(e) substance consent order: No products were found.
	TSCA 6 final risk management: No products were found.
	TSCA 6 proposed risk management: No products were found.
	TSCA 8(a) CAIR: No products were found.
	TSCA 8(a) chemical risk rules: No products were found.
	TSCA 8(a) dioxin/furane precursor: No products were found.
	TSCA 8(a) IUR Exempt/Partial exemption: Not determined
	TSCA 8(a) PAIR: 4-Methoxyphenol
	TSCA 8(c) calls for record of SAR: No products were found.
	TSCA 8(d) H and S data reporting: No products were found.
	TSCA 12(b) annual export notification: 4-Methoxyphenol
	TSCA 12(b) one-time export: No products were found.
	Commerce control list precursor: No products were found.

PD-715

	TSCA co	mmerce control lis	st:	Not	listed		
	SARA 30 SARA 30 SARA 30 SARA 31	2/304/311/312 extr 2/304 emergency 2/304/311/312 haz 1/312 MSDS distri	emely hazardous sub planning and notificat ardous chemicals: N-\ bution - chemical inve , Immediate (acute) he	stances: No pro tion: No products /inylpyrrolidone entory - hazard	ducts were found. s were found.		
	Clean Water Act (CWA) 307: toluene; benzene Clean Water Act (CWA) 311: toluene; benzene Clean Air Act (CAA) 112 accidental release prevention: No products were found.						
			gulated flammable su gulated toxic substan				
SARA 313							
	Product	name		CAS number	Concentration		
Supplier notification	: Glycol Eth	ners		48145-04-6	12.956		
SARA 313 notifications must copying and redistribution of t	the notice attac	ched to copies of th			e MSDS shall incluc		
CONEG	: In compliance.						
California Prop. 65	: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.						
Ingredient name	<u>Cancer</u>	<u>Reproductive</u>	<u>No significant risk</u> level	<u>Maximum</u> acceptable o level	<u>%</u> dosage		
TOLUENE	No.	Yes.	No.	7000 µg/day (ingestion)	0.005492		
benzene	Yes.	Yes.	6.4 μg/day (ingestior 13 μg/day (inhalatior				
International lists International lists	are listed Europe in Australia China in Japan in Korea in New Zea	in NDSL. nventory: All comp i inventory (AICS): ventory (IECSC): A ventory: All compo ventory: At least or land Inventory of (one component is not li onents are listed or exe All components are list Il components are liste nents are listed or exer ne component is not list Chemicals (NZIOC) : At CS) : At least one comp	empted. ted or exempted d or exempted. npted. ted. : least one comp	onent is not listed.		
16. Other information	ation						
Label requirements	: HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.						
Hazardous Material Information System (U.S.A.)	Health * 2 Fire hazard 1 Reactivity 1 Personal protection						
Version	: 3	P • • • • • • •					
Notice to reader							

16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

PD-715